

AWARD/CONTRACT		1. This Contract Is A Rated Order Under DPAS (15 CFR 700)		Rating DOA4		Page 1 Of 35	
2. Contract (Proc. Inst. Ident) No. W56HZV-04-C-0217		3. Effective Date 2004JAN12		4. Requisition/Purchase Request/Project No. SEE SCHEDULE			
5. Issued By TACOM WARREN BLDG 231 AMSTA-AQ-ADBX INGRID CUFFARO (586)574-8901 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL e-mail address: CUFFAROIT@TACOM.ARMY.MIL		Code W56HZV		6. Administered By (If Other Than Item 5) DCMA LONG ISLAND 605 STEWART AVENUE GARDEN CITY, NY 11530-4761 SCD B PAS NONE ADP PT HQ0337		Code S3309A	
7. Name And Address Of Contractor (No. Street, City, County, State, And Zip Code) H & R PARTS CO LLC 800 AXINN AVE P.O. BOX CS-9401 GARDEN CITY, NY. 11530-9401 TYPE BUSINESS: Other Small Business Performing in U.S.				8. Delivery <input checked="" type="checkbox"/> FOB Origin <input type="checkbox"/> Other (See Below)			
				9. Discount For Prompt Payment Net 30 Days			
				10. Submit Invoices (4 Copies Unless Otherwise Specified)		Item 12	
Code 5P784		Facility Code		To The Address Shown In:			
11. Ship To/Mark For SEE SCHEDULE		Code		12. Payment Will Be Made By DFAS - COLUMBUS CENTER DFAS-CO/NORTH ENTITLEMENT OPERATION P.O. BOX 182266 COLUMBUS OH 43218-2266		Code HQ0337	
13. Authority For Using Other Than Full And Open Competition: <input type="checkbox"/> 10 U.S.C. 2304(c)() <input type="checkbox"/> 41 U.S.C. 253(c)()				14. Accounting And Appropriation Data ACRN: AA 97 X4930AC9D 6D 26KB S20113 W56HZV			
15A. Item No. SEE SCHEDULE	15B. Schedule Of Supplies/Services CONTRACT TYPE: Firm-Fixed-Price	15C. Quantity	15D. Unit	15E. Unit Price	15F. Amount		
				KIND OF CONTRACT: Supply Contracts and Priced Orders			
15G. Total Amount Of Contract						\$180,345.24	
16. Table Of Contents							
(X)	Section	Description	Page(s)	(X)	Section	Description	Page(s)
Part I - The Schedule				Part II - Contract Clauses			
X	A	Solicitation/Contract Form	1	X	I	Contract Clauses	26
X	B	Supplies or Services and Prices/Costs	4	Part III - List Of Documents, Exhibits, And Other Attachments			
X	C	Description/Specs./Work Statement	6	X	J	List of Attachments	35
X	D	Packaging and Marking	8	Part IV - Representations And Instructions			
X	E	Inspection and Acceptance	12		K	Representations, Certifications, and Other Statements of Offerors	
X	F	Deliveries or Performance	19				
X	G	Contract Administration Data	23		L	Instrs., Conds., and Notices to Offerors	
X	H	Special Contract Requirements	24		M	Evaluation Factors for Award	
Contracting Officer Will Complete Item 17 Or 18 As Applicable							
17. <input checked="" type="checkbox"/> Contractor's Negotiated Agreement (Contractor is required to sign this document and return 2 signed copies to issuing office.) Contractor agrees to furnish and deliver all items or perform all the services set forth or otherwise identified above and on any continuation sheets for the consideration stated herein. The rights and obligations of the parties to this contract shall be subject to and governed by the following documents: (a) this award/contract, (b) the solicitation, if any, and (c) such provisions, representations, certifications, and specifications, as are attached or incorporated by reference herein. (Attachments are listed herein.)				18. <input type="checkbox"/> Award (Contractor is not required to sign this document.) Your offer on Solicitation Number _____ including the additions or changes made by you which additions or changes are set forth in full above, is hereby accepted as to the items listed above and on any continuation sheets. This award consummates the contract which consists of the following documents: (a) the Government's solicitation and your offer, and (b) this award/contract. No further contractual document is necessary.			
19A. Name And Title Of Signer (Type Or Print)				20A. Name Of Contracting Officer DAVID EPSKAMP EPSKAMPD@TACOM.ARMY.MIL (586)574-4295			
19B. Name of Contractor By _____ (Signature of person authorized to sign)		19c. Date Signed		20B. United States Of America By _____/SIGNED/ (Signature of Contracting Officer)		20C. Date Signed 2004JAN12	

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 2 of 35
	PIIN/SIIN W56HZV-04-C-0217	MOD/AMD	
Name of Offeror or Contractor: H & R PARTS CO LLC			

SECTION A - SUPPLEMENTAL INFORMATION

NOTE:

1. The purpose of this Amendment 0001 to Solicitation DAAE07-03-R-T190 is to extend closing date from 22 October 2003 to 7 November 2003.
2. All other terms and conditions remain the same.

*** END OF NARRATIVE A 001 ***

	Regulatory Cite	Title	Date
A-1	52.204-4850 (TACOM)	ACCEPTANCE APPENDIX	FEB/2002
<p>(a) Contract Number W56HZV-04-C-0217 is awarded to H & R PARTS CO., LLC. The Government accepts your proposal dated 21 OCTOBER 03 in response to Solicitation Number: DAAE07-03-R-T190, signed by CARMEN B. BORJA, GOVERNMENT CONTRACTS ADM. of your company.</p> <p>(b) The contractor, in it's proposal, provided the following data for the listed clauses in this contract:</p> <p>Section E, 52.246-4025, HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT -- TACOM QUALITY SYSTEM REQUIREMENT: ISO 9002 COMPLIANT</p> <p>Section E, 52.246-4028, INSPECTION POINT: H & R PARTS CO., LLC</p> <p>Shipping Characteristics: N/A</p> <p>Others: N/A</p> <p>(c) Any attachments not included with this document will be provided by TACOM-Warren directly to the administrative contracting officer (ACO) via e-mail. A hard copy of the award will be sent to those ACOs not EDW (Electronic Document Workflow) capable. Technical data packages will be mailed by TACOM-Warren to the ACO on CD-ROM. Within one week of this award, any office not able to obtain these attachments from TACOM's website (http://contracting.tacom.army.mil/) and still requiring a copy, can request it by sending an e-mail message to the buyer listed on the front page of this contract.</p> <p>(d) The following Amendment(s) to the solicitation are incorporated into this contract: 0001 - EXTENDED CLOSING DATE</p> <p>[End of Clause]</p>			
A-2	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003
<p>(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (http://contracting.tacom.army.mil/opportunity.htm) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at http://contracting.tacom.army.mil/userguide.htm and http://contracting.tacom.army.mil/ebidnotice.htm for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.</p> <p>(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.</p> <p>(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.</p> <p>(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include</p>			

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 3 of 35
---------------------------	--	----------------------------

Name of Offeror or Contractor: H & R PARTS CO LLC

the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

A-3	52.214-4003	ALL OR NONE	MAR/1998
	(TACOM)		

Offers in response to this solicitation must be submitted for the total quantity of the items identified in the solicitation.

- (1) ONLY ONE AWARD WILL BE MADE AS A RESULT OF THIS SOLICITATION.
- (2) OFFERS SUBMITTED FOR LESS THAN THE TOTAL QUANTITIES OF ALL THE ITEMS IN THIS SOLICITATION WILL BE DEEMED NONRESPONSIVE.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 4 of 35
--------------------	---	--------------

Name of Offeror or Contractor: H & R PARTS CO LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 4910-01-482-7563 FSCM: 19207 PART NR: 12475613 SECURITY CLASS: Unclassified				
0001AA	<p data-bbox="264 573 480 594"><u>PRODUCTION QUANTITY</u></p> <p data-bbox="264 653 760 779">CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: SLING,ENGINE AND TR PRON: EH386624EH PRON AMD: 01 ACRN: AA AMS CD: 060011</p> <p data-bbox="264 840 634 911"><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDPL 12475613 DATE: 23-MAY-2003</p> <p data-bbox="264 972 633 1123"><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: STD-COMMERCIAL PKG. UNIT PACK: 1 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p data-bbox="264 1157 834 1360">ALL ITEMS PROCURED UNDER THIS SUB-CLIN SHALL BE PACKAGED AND MARKED IN ACCORDANCE WITH STANDARD COMMERCIAL PRACTICE AS DEFINED IN ASTM-D-3951-95. ASTM-D-3951-95 SPECIFIES THAT ALL EXTERIOR PACKS AND CONTAINERS SHALL BE LEGIBLY AND DURABLY MARKED IN ACCORDANCE WITH MIL-STD-129, AND THAT BAR CODE MARKINGS SHALL BE APPLIED IN ACCORDANCE WITH MIL-STD-129</p> <p data-bbox="444 1421 699 1442">(End of narrative D001)</p> <p data-bbox="264 1528 725 1575"><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p data-bbox="264 1608 846 1787">Inspection/Acceptance at origin means that you MUST contact the DCMC to arrange for a Government inspection BEFORE you ship the supplies called out in this order. Failure to have the items inspected and accepted will result in their rejection at the destination. The rejected supplies will be returned to you at your expense.</p> <p data-bbox="444 1820 699 1841">(End of narrative E001)</p> <p data-bbox="264 1927 545 1948"><u>Deliveries or Performance</u></p>	201	EA	\$ 897.24000	\$ 180,345.24

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 5 of 35
--------------------	---	--------------

Name of Offeror or Contractor: H & R PARTS CO LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																																																						
	<div>DOC SUPPL</div> <table><tr><td>REL CD</td><td>MILSTRIP</td><td>ADDR</td><td>SIG CD</td><td>MARK FOR</td><td>TP CD</td></tr><tr><td>001</td><td>W56HZV30863143</td><td>W45G19</td><td>J</td><td></td><td>2</td></tr></table> <div><table><tr><td>DEL REL CD</td><td>QUANTITY</td><td>DEL DATE</td></tr><tr><td>001</td><td>136</td><td>30-JUN-2004</td></tr></table></div> <div>FOB POINT: Origin</div> <div>SHIP TO: <u>PARCEL POST ADDRESS</u></div> <div>(W45G19) XR W390 RED RIVER MUNITIONS CTR HIGHWAY 82 WEST CL V TPF GATE 44 BLDG 184 TEXARKANA TX 75507-5000</div> <div>DOC SUPPL</div> <table><tr><td>REL CD</td><td>MILSTRIP</td><td>ADDR</td><td>SIG CD</td><td>MARK FOR</td><td>TP CD</td></tr><tr><td>002</td><td>W56HZV30863144</td><td>W25G1U</td><td>J</td><td></td><td>2</td></tr></table> <div><table><tr><td>DEL REL CD</td><td>QUANTITY</td><td>DEL DATE</td></tr><tr><td>001</td><td>39</td><td>30-JUN-2004</td></tr></table></div> <div>FOB POINT: Origin</div> <div>SHIP TO: <u>PARCEL POST ADDRESS</u></div> <div>(W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</div> <div>DOC SUPPL</div> <table><tr><td>REL CD</td><td>MILSTRIP</td><td>ADDR</td><td>SIG CD</td><td>MARK FOR</td><td>TP CD</td></tr><tr><td>003</td><td>W56HZV30863145</td><td>W62G2T</td><td>J</td><td></td><td>2</td></tr></table> <div><table><tr><td>DEL REL CD</td><td>QUANTITY</td><td>DEL DATE</td></tr><tr><td>001</td><td>26</td><td>30-JUN-2004</td></tr></table></div> <div>FOB POINT: Origin</div> <div>SHIP TO: <u>FREIGHT ADDRESS</u></div> <div>(W62G2T) XU DEF DIST DEPOT SAN JOAQUIN 25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307 TRACY CA 95376-5000</div>	REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD	001	W56HZV30863143	W45G19	J		2	DEL REL CD	QUANTITY	DEL DATE	001	136	30-JUN-2004	REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD	002	W56HZV30863144	W25G1U	J		2	DEL REL CD	QUANTITY	DEL DATE	001	39	30-JUN-2004	REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD	003	W56HZV30863145	W62G2T	J		2	DEL REL CD	QUANTITY	DEL DATE	001	26	30-JUN-2004				
REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD																																																						
001	W56HZV30863143	W45G19	J		2																																																						
DEL REL CD	QUANTITY	DEL DATE																																																									
001	136	30-JUN-2004																																																									
REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD																																																						
002	W56HZV30863144	W25G1U	J		2																																																						
DEL REL CD	QUANTITY	DEL DATE																																																									
001	39	30-JUN-2004																																																									
REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD																																																						
003	W56HZV30863145	W62G2T	J		2																																																						
DEL REL CD	QUANTITY	DEL DATE																																																									
001	26	30-JUN-2004																																																									

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 6 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
C-1	52.211-4053 (TACOM)	REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING SUBSTANCES (CIODS)	MAR/2000

(a) The purchase description or Technical Data Package (TDP) for this contract incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this contract, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: MIL-C-53072, TCA.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

C-2	52.246-4053 (TACOM)	USE OF MIL-STD 1916	JAN/2001
-----	------------------------	---------------------	----------

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD-1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

C-3	52.211-4008 (TACOM)	DRAWING LIMITATIONS	NOV/2002
-----	------------------------	---------------------	----------

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

C-4	52.211-4021	WELDING SYMBOLS - CLARIFICATION OF GROOVE WELDING SYMBOL	APR/1995
-----	-------------	--	----------

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 7 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

(TACOM)

You must interpret welding symbols in accordance with AWS A2.4, except in the case of groove welds. In the case of groove welds, if the drawing doesn't specify an effective throat and/or weld size, interpret the dimension to the left of the groove welding symbol to mean both depth of preparation and effective throat/weld size.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 8 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

SECTION D - PACKAGING AND MARKING

	<u>Regulatory Cite</u>	<u>Title</u>					<u>Date</u>
D-1	52.211-4026 (TACOM)	PRESERVATION, PACKAGING, AND PACKING REQUIREMENTS					APR/1999
(a) <u>Packaging</u> shall be in accordance with the following:							
<u>CLIN</u>	PACKAGING STD, <u>SPI, OR SPEC. NO.</u>	<u>REV</u>	<u>DATED</u>	PRESERVATION <u>LEVEL</u>	PACKING <u>LEVEL</u>	<u>MARKING</u>	
0001AA	MIL-STD-2073-1D	N/A	N/A	COMMERCIAL	COMMERCIAL	MIL-STD-129N	

NOTE 1: Whenever the preservation or packing level indicated above is A or B, a packaging specification applies.

NOTE 2: If preservation and packing levels for a SUBCLIN do not indicate A, B or M, ASTM D 3951 applies.

(b) Marking: Unit Pack, intermediate container, and exterior container identification and contract data marking shall be in accordance with MIL-STD-129N and ANSI/AIM-BC 1, and per any additional markings specified in this contract.

(c) Packaging and Marking Definitions:

(1) The term PACKAGING is the processes and procedures used to protect material from deterioration, damage, or both. It includes cleaning, drying, preserving, packing, marking, and unitizing.

(2) The term PACKING is the assembly of items into unit packs and intermediate or exterior containers, with the necessary blocking, bracing, cushioning, weatherproofing, reinforcement, and marking.

(3) The term PRESERVATION is the application of protective measures, including cleaning, drying, preservative materials, barrier materials, cushioning, and containers, when necessary. Military methods of preservation are defined in MIL-STD-2073.

(4) The term MARKING is the application of numbers, letters, labels, tags, symbols, or colors to provide identification and to expedite handling during shipment and storage.

(5) For purposes of preservation and packing, unit and intermediate quantities are to be considered as each unless otherwise specified.

(6) Copies of the specifications referred to in Special Packaging Instructions (SPI) for preservation, packing, and marking may be obtained from the Naval Publication and Forms Center (address in Section L of this contract--see FAR 52.211-2, entitled AVAILABILITY OF SPECIFICATIONS LISTED IN THE DOD INDEX OF SPECIFICATIONS AND STANDARDS). In case of a conflict between the general specification and the repair parts Special Packaging Instruction, the latter shall take precedence.

[End of Clause]

D-2	52.211-4517 (TACOM)	PACKAGING REQUIREMENTS (COMMERCIAL)	SEP/2003
(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:			
LEVEL OF PRESERVATION: Commercial			
LEVEL OF PACKING: Commercial			
QUANTITY PER UNIT PACKAGE: 01			

(1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.

(2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 9 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.
- (c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.
- (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
- (1) The quantity is over one (1) gross of the same national stock number,
 - (2) Use enhances handling and inventorying,
 - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
 - (4) The unit pack is less than 64 cubic inches,
 - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.
- Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.
- (e) Packing:
- (1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
 - (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
 - (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.
- (g) Marking:
- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
 - (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3
 - (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
 - (4) Military Shipping Label: : Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <http://www.easysoftcorp.com/products/Software/MSL.html>. Insure that the ship to and mark for in-the-clear

<p>CONTINUATION SHEET</p>	<p>Reference No. of Document Being Continued</p> <p>PIIN/SIIN W56HZV-04-C-0217 MOD/AMD</p>	<p>Page 10 of 35</p>
----------------------------------	--	-----------------------------

Name of Offeror or Contractor: H & R PARTS CO LLC

delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

- (h) Hazardous Materials(As applicable):
- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:
- International Air Transport Association (IATA) Dangerous Goods Regulations
 - International Maritime Dangerous Goods Code (IMDG)
 - Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
 - Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).
- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

(k) SUPPLEMENTAL INSTRUCTIONS: NONE

[End of clause]

D-3	52.211-4013	BAR CODE MARKING	JAN/2001
	(TACOM)		

a. Bar code markings are required on all containers and loose or unpacked items as specified in MIL-STD-129N, paragraph 4.2.3. The bar code symbology shall comply with AIM BC 1. The following shall be bar coded:

- (1) National Stock Number (NSN)/ NATO stock number shall be bar coded on all unit packs and intermediate containers.
- (2) The exterior container shall be bar coded with the NSN/NATO stock number and the contract or purchase order number(including the call number).
- (3) Items that are serial numbered shall have the serial number bar coded.
- (4) Exterior boxes and crates 10 cubic feet and over shall be bar coded on one end of the container as well as on the identification marked side.
- (5) Contractor or vendor-originated shipments destined for outside continental United States(OCONUS) and shipped through the Defense Transportation System(DTS)(transshipment) shall comply with the address marking instructions in DoD 4500.32-R, Volume I, which requires the address markings to be placed on a bar coded DD Form 1387. For these shipments, bar code labels may be affixed to the DD Form 1387 as an alternative to direct bar coding of the DD Form 1387. Destinations such as Hawaii, Alaska, Puerto Rico, Canada, and Mexico are considered OCONUS sites and require bar coded DD Form 1387 address labels, see MIL-STD-129, paragraph 4.3.

b. Information and illustrations on bar code markings are contained in MIL-STD-129N and in MIL-HDBK-129.
(end of clause)

D-4	52.247-4016	HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS	JUL/2002
-----	-------------	--	----------

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 11 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

(TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 12 of 35
	PIIN/SIIN W56HZV-04-C-0217MOD/AMD	
Name of Offeror or Contractor: H & R PARTS CO LLC		

SECTION E - INSPECTION AND ACCEPTANCE

	Regulatory Cite	Title	Date
E-1	52.246-2	INSPECTION OF SUPPLIES--FIXED-PRICE	AUG/1996
E-2	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
E-3	52.246-11	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT	FEB/1999

The Contractor shall comply with the higher-level quality standard selected below.

ISO 9002 EQUIVALENT

[Contracting Officer insert the title, number (if any), date, and tailoring (if any) of the higher-level quality standards.]

[End of Clause]

E-4	52.242-4008 (TACOM)	ROUTING OF SPECIAL PROCESS APPROVALS	AUG/1994
-----	------------------------	--------------------------------------	----------

(a) Specification TT-C-490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.

(b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.

(c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

E-5	52.246-4024 (TACOM)	SUBSTITUTING COMMERCIAL TEST RESULTS FOR REQUIRED CONTRACT TESTS	SEP/1992
-----	------------------------	--	----------

1. GENERAL. At your request, we may delete all or some of the Government or contractor conducted tests required by this contract, under the following conditions:
- a. You have (or your supplier has) previously supplied the identical item to us and we've accepted it, or:

b. You have commercial test reports, performance data, analytical data, or vendor reports demonstrating that the item meets the contract requirements.
2. HOW TO SUBMIT A TEST DELETION REQUEST.
- a. BEFORE CONTRACT AWARD - Submit your request along with your bid or proposal. Make sure that your bid or proposal includes an alternate price (that reflects how your basic price would change if we approved your request).

b. AFTER CONTRACT AWARD - Send your requests to (USA TACOM, Warren, MI 48397-5000, ATTN: AMSTA-AQ-ADBx at least 45 days before you're scheduled to make delivery of the affected end item.

c. ALL REQUESTS MUST -

(1) identify the test(s) you want deleted;

(2) state the basis for your request;

(3) include a list of configuration changes made;

(4) demonstrate that you meet the conditions in paragraph 1a or 1b above;

(5) include proposed amount of equitable adjustment (if change is requested after award)
3. SUPPORTING DATA. If we agree to delete a test or tests, you must keep the data you used to support your request for four years from the day we approved your request. You must provide us with this data if we ask for it.
4. CONTRACT ADJUSTMENT. If we agree to delete a test or tests after contract award, we may negotiate an equitable adjustment in

Name of Offeror or Contractor: H & R PARTS CO LLC

the contract price, under the Changes clause of this contract.

* * *

E-6	52.211-4016 (TACOM)	CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS AND GALVANIZED SURFACES	SEP/2002
-----	------------------------	--	----------

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1, microcrystalline, zinc phosphate system per TT-C-490. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490. Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process has been found to be in statistical control. Process control tests for alternative systems must ensure that the process remains in control and must be documented and approved by TACOM. Testing must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours. All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scrapped with a one inch (approximate) metal blade such as a putty knife between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg. per square foot to minimize chipping of the CARC system. All TT-C-490, zinc phosphate pretreatment systems must be documented and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490 shall be submitted to the procuring activity no less than 45 days prior to use. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of alternate systems must be demonstrated and approved by the procuring activity. If the TT-C-490 Type 1 system has not been previously approved by TACOM, it must be documented and submitted for approval as specified in the specification. Zinc phosphate systems for galvanized substrates require separate qualification. A list of TACOM approved facilities is available at <http://contracting.tacom.army.mil/engr/eng.htm> . These facilities are capable of meeting the performance requirements in the specification.

A list of previously qualified zinc phosphate application facilities is available from TACOM, Materials Engineering Team, (810) 574-5083. Regualification of the process will be required if the process is changed outside the limits defined in the TAOCM letter of system acceptance provided to the application facility.

(b) Qualification of pretreatment systems for galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with primer only shall be cured for seven days, and scribed thru the primer. After 40 cycle test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate) with a one inch (approximate) metal blade, such as a putty knife, both parallel and perpendicular to the scribe. There shall be no more than 3 mm. of rust creep (zinc corrosion products), blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with non greater than 1 mm. This test shall be performed at two month intervals (two test coupons) to ensure that the process is in control. An alternative test for verifying process control is GM 9511P for 10 cycles.

(c) Performance tests for process control are highly dependent on the type, thickness, and VOC level of the organic coating (primer) film and its adhesion to the substrate. Any change to the solvents used in the primer or changing the brand of primer will require retesting of the system. The test coupons must duplicate the production painting process as closely as possible. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control.

(d) The use of vinyl wash primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level.

[End of Clause]

E-7 52.211-4017 ENHANCED CARC REQUIRMENTS FOR HIGH PERFORMANCE SYSTEMS SEP/2002

(a) THE FOLLOWING REQUIREMENTS SUPERSEDE THE PERFORMANCE REQUIREMENTS CONTAINED IN TT-C-490, MIL-C-5541 AND MIL-C-53072 RELATIVE TO THE ADHESION AND CORROSION RESISTANCE OF THE CARC SYSTEM:

(b) Ferrous and galvanized surfaces shall be cleaned and pretreated to provide the following level of performance on a repeatable basis. The cleaning/pretreatment/control process shall be documented and submitted to the procuring activity for approval prior to production. Qualification and process control testing shall be performed on the same substrate used in production. The system under test shall consist of the pretreatment and primer. There are significant variations in performance due to primer manufacturer, VOC content and primer thickness variation. Sufficient testing shall be conducted to achieve a statistical confidence in both the brand/type of primer used and the dry film thickness used in production. If the tolerance of the dry film thickness exceeds plus or minus 1.0 mil then you must qualify the extremes of the range separately.

(c) To verify the corrosion resistance, a minimum of three test panels per test variation no smaller than 4 x 12 inches with the pretreatment/primer system as noted above shall be subjected to 1000 hr. of neutral salt spray per ASTM B117 (40 cycles of GM 9540P - scribed is the preferred alternative) for ferrous substrates or 40 cycles of GM 9540P for galvanized surfaces. The test panels shall be

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 14 of 35
--------------------	---	---------------

Name of Offeror or Contractor: H & R PARTS CO LLC

cured for a minimum of 7 days and vertically scribed through the coating system to the metallic layer. A minimum of 24 hr. after the completion of the neutral salt spray test or within 5 days after completion of the GM 9540P test the scribe shall be scraped at a 30 degree (approximate) contact angle with a 38mm (approximate) blunt tipped metal blade such as a putty knife parallel and perpendicular to the scribe. There shall be no more than 3mm maximum loss of paint adhesion or corrosion at any point from the scribe line. In addition, there shall be no more than 5 blisters in the field with none exceeding 1mm; corrosion in the field shall not exceed Rust Grade 9 of ASTM D610. The minimum primer dry film thickness noted on the test panels which passes the corrosion resistance test shall be the minimum requirement for production painted hardware.

(d) To verify long term CARC adhesion, after completion of the corrosion resistance test evaluation each test panel will be subjected to cross hatch tape test (minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 x 4 scribe lines to the metallic layer at 2mm intervals (approximate) and shall be done no closer than 12 mm from any edge or the scribe creep. Multiple head cutters are not recommended. Loss of two or more complete primer squares shall constitute failure.

(e) The contractor must demonstrate the ability to pass both tests for the system to be considered acceptable. This testing shall be performed on 5 consecutive days of production. If all test panels are acceptable, the testing can revert to two test panels every two months of production.

(f) The only system that is currently available to achieve this level of performance is a zinc phosphate pretreatment system per TT-C-490 with a high quality primer. All primers used must be on the QPL for MIL-P-23377, 53022, -53030, or 53084. Not all QPL primers with the exception of electrocoat primers per MIL-C-53084 have this level of corrosion resistance/paint adhesion, however. New high performance, "Combat Grade" Powder Coat Primers will also meet this performance requirement. These primers can only be applied by approved applicators. The Specification controlling both the primers and their application are available upon request from AMSTA-TR-E/MEPS, (586) 574-5083.

Note: Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed for the coating system to pass these performance tests.

(g) For aluminum substrates the required pretreatment system is a chromate conversion per MIL-C-5541. If alternative pretreatment systems wish to be considered, they must demonstrate their ability to pass when coated with the nominal production primer (scribed) 120 cycles of GM 9540P. After completion of the test, the panels shall be scraped as noted above and shall have no more than 0.5mm of paint loss maximum from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm. After completion of the 120 cycle test, the cross hatch scribe test noted above shall be performed. The removal of one or more complete squares of primer shall constitute failure. The alternate system must demonstrate its ability to provide an acceptable product on 5 consecutive days of production to be considered a suitable alternative. The alternative process must be documented and approved by the procuring activity. Controls must be established to assure that the process remains under statistical control. The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.

(h) Failure to meet the corrosion resistance/adhesion requirements shall be cause for rejection of all production units manufactured during that production interval.

(i) Final Acceptance of the CARC Finish on Production Hardware:
The dry film thicknesses of the primer and topcoat as well as coating adhesion on the fully cured primer/topcoat coating system are mandatory requirements. Variations in the primer thickness and curing conditions will dramatically affect recoat windows and coating performance for some primers. Manufacturing processes which are unable to control the dry film thickness to the requirements contained in Table V of MIL-C-53072 shall be subjected to the 4 x 4 cross hatch scribe test noted above on two production units per lot with two tests per unit. One test shall be conducted on a vertical and one on a horizontal surface (relative to the painting process). There shall be a maximum removal of one complete square of primer/topcoat or topcoat only. The polyurethane CARC topcoat requires approximately 24 days to completely cure at 68 Degrees F. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190-210 degrees F for three hours (this is time at temperature and is, therefore, material thickness dependent) once the topcoat has reached a dry-to-touch condition. This is to be followed by 7 days at 65 degrees F minimum. Adhesion testing shall be performed only on a completely cured CARC finish. Contractors which have performed a thorough design of experiments methodology to evaluate the impact of paint system variables or have processes which meet Table V requirements can perform the final acceptance adhesion test on representative test coupons.

[End of Clause]

E-8	52.211-4030 (TACOM)	BASIC APPLICATION AND TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS (CARC) ON METALLIC SURFACES	JAN/2003
(a) Scope: The requirements contained herein apply whenever any or all of the following specifications are cited in the contract: MIL-C-46168, MIL-C-53039, MIL-PRF-22750, or MIL-DTL-64159.			
(b) CARC Primers: The preferred CARC primer for all applications is cathodic, epoxy electrocoat per MIL-C-53084. This primer can			

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 15 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

be directly substituted whenever MIL-P-53022 or MIL-P-53030 is specified on a drawing or specification. The dry film thickness table below contains mandatory minimum and maximum dry film thickness requirements. Failure of production painted hardware to comply with these ranges will dramatically impact the corrosion resistance and/or chip resistance of the CARC coating system. If the contractor does not possess the personnel or equipment to meet these mandatory thickness requirements, then cathodic epoxy electrocoat must be used. Any part that has rust, heat treat or mill scale must be abrasive blasted prior to the application of any coating. Select powder coat primers which have 0.0 VOCs and 0.0 HAPS can also be used as a direct replacement for MIL-P-53022 and MIL-P-53030 primers. These powder coat primers, however, can only be applied by TACOM-approved applicators. The qualification and application of these primers is controlled by "Performance Standard for Combat Grade Powder Coat Paint - U.S. Army - TACOM" and is available at <http://contracting.tacom.army.mil/engr/eng.htm>

(c) CARC Application: The dip application of any coating listed in the table below (with the exception of epoxy electrocoat which is specifically designed for dip application) is prohibited.

(d) End-Item Inspection. After the complete paint finish has been applied and cured* (See note below), the Contractor shall test and inspect two units per lot for (i)workmanship, (ii) total paint film thickness and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in Table I herein. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld.
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

The precise location for each scribe tape shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in Table I herein.

*NOTE: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take 24 days. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190 to 210 degrees F. for three hours (this is time at temperature and is therefore material thickness dependent), followed by 7 days at 65 degrees F. minimum.

(e) Test Methods:

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

(a) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.

(b) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

(c) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(d) Wait ten seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 16 of 35
	PIIN/SIIN W56HZV-04-C-0217MOD/AMD	
Name of Offeror or Contractor: H & R PARTS CO LLC		

NOTE: The above two tests are not a substitute for corrosion test such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(f) Acceptance Criteria:

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

DRY FILM THICKNESS TABLE

SPECIFICATION	DRY FILM THICKNESS (Mils)	
	(MANDATORY RANGE)	
DOD-P-15328*	0.3 - 0.5	
MIL-PRF-23377	1.0 - 1.5	
MIL-P-53022, Type I	1.0 - 2.5	
MIL-P-53022, Type II	1.5 - 2.5	
MIL-P-53030	1.5 - 2.5	
MIL-P-53084	0.8 - 1.5	
MIL-C-22750	1.3 - 2.5	
MIL-C-46168	1.8 MINIMUM	
MIL-C-53039	1.8 MINIMUM	
MIL-DTL-64159	1.0 MINIMUM	

* May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

NOTICE: The scribe tape test is designed to detect any major deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (a) Inadequate cleaning of the substrate.
- (b) Contamination of the surface between coatings.
- (c) Excessive paint film thickness in a single coating application.
- (d) Application of a coating over a previous coating which has not been adequately cured.

[End of clause]

E-9	52.211-4069 (TACOM)	WELDING INSPECTION REQUIREMENTS	MAR/2001
(a) INSPECTION: As the contractor, during performance of this contract you will verify weld quality and workmanship using qualified inspectors trained to perform these inspection functions. Acceptable qualification of your inspectors may be based on:			
(1) current or previous certification as an AWS Certified Welding Inspector; or			
(2) current or previous certification by the Canadian Welding Bureau (CWB); or			
(3) inspection performed by an engineer or technician who is competent in the use of weld inspection techniques and equipment, on the basis of (i) formal training or (ii) experience, or both, in metals fabrication, inspection, and testing.			
(b) NON BALLISTIC VISUAL INSPECTION. You will perform all non-ballistic visual inspections of weld quality and workmanship for structural steel in accordance with Section 6 of AWS D1.1-96. For structural aluminum, you may perform non-ballistic visual inspections of weld quality and workmanship using the guidelines given in MIL-STD-370A, dated 21 Sep 93.			
(c) BALLISTIC VISUAL INSPECTION. You will perform all ballistic visual inspections in accordance with section 6 of the UDLP/TACOM			

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 17 of 35
---------------------------	--	----------------------

Name of Offeror or Contractor: H & R PARTS CO LLC

Ground Combat Vehicle Code--Aluminum, dated July 1996. Copies of this document can be obtained by written request to:

Commander, US Army Tank-automotive and Armaments Command
ATTN: AMSTA-TR-E/Materials
Warren, MI 48397-5000

[End of Clause]

E-10	52.211-4071 (TACOM)	CHEMICAL AGENT RESISTANT COATING (CARC) ON WOOD COMPONENTS	OCT/1997
------	------------------------	--	----------

(a) Wood shall be in accordance with A-A-52520, and pressure treated with copper napthenate in light solvent solution to a net minimum retention of 0.040 pound per cubic foot (PCF) of copper as measured by gauge or assay method or treatment to refusal. For domestic hardwood species, an alternative non-pressure treatment is acceptable if the high concentrate (2%) of water repellant copper napthenate solution in accordance with American Wood Preservers Association (AWPA) P8 is used and the same net retention is achieved as with pressure treatment when measured by assay method. After treatment, the wood shall provide a paintable surface as described by the paintability requirements of Spec TT-W-572, except that the wood species, treatment and paint shall be the same as furnished for this contract.

(b) After demonstrating that the paint adhesion requirements are met, and Government inspection/acceptance of this item has occurred, any subsequent flaking and peeling of paint from the wood shall not be considered a defect unless the Government establishes that the flaking and/or peeling of the paint was caused by defective workmanship in the application of the paint or the preparation of the painted surface.

[End of Clause]

E-11	52.246-4025 (TACOM)	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT--TACOM QUALITY SYSTEM REQUIREMENT	OCT/1997
------	------------------------	---	----------

(a) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process control, providing adequate quality controls throughout all areas of contract performance.

(b) Your quality system may be based on (i) international quality standards such as the ISO 9000 series, or (ii) military, or (iii) commercial, or (iv) national quality standards. You represent that your performance under this contract will be in accordance with your quality system, which is in compliance with:

- [] ISO 9001
- [X] ISO 9002 - compliant
- [] QS 9000
- [] ANSI/ASQ Q9001
- [] ANSI/ASQ Q9002
- [] Other, specifically _____

(Note: if you check the "Other" block because you intend to use an in-house quality system, or one based on a commercial, national, or international system not identified above, then in addition to identifying your proposed system in the space above, to the right of the word "Other," you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive a contract award, your proposed system will be required by the contract.)

(c) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor, does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.

(d) At any point during contract performance, we have the right to review your quality system to assess its effectiveness in meeting contractual requirements.

[End of Clause]

E-12	52.246-4028 (TACOM)	INSPECTION POINT: ORIGIN	FEB/1994
------	------------------------	--------------------------	----------

We will inspect the supplies as described elsewhere in this solicitation/contract before acceptance. Fill-in the location,

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 18 of 35
	PIIN/SIIN	W56HZV-04-C-0217 MOD/AMD	

Name of Offeror or Contractor: H & R PARTS CO LLC

contractor's or subcontractor's plant, where origin inspection will occur.

CONTRACTOR'S PLANT:

H & R Parts, Co. LLC

800 Axinn Avenue

Garden City, NY 11530

[End of Clause]

E-13

52.246-4029

ACCEPTANCE POINT: ORIGIN

OCT/2002

(TACOM)

We will accept these supplies at the address or addresses designated in the Section E clause entitled INSPECTION POINT.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 19 of 35
	PIIN/SIIN W56HZV-04-C-0217MOD/AMD	
Name of Offeror or Contractor: H & R PARTS CO LLC		

SECTION F - DELIVERIES OR PERFORMANCE

	Regulatory Cite	Title	Date
F-1	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
F-2	52.247-29	F.O.B. ORIGIN	JUN/1988
F-3	52.247-58	LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS	APR/1984
F-4	52.247-59	F.O.B. ORIGIN--CARLOAD AND TRUCKLOAD SHIPMENTS	APR/1984
F-5	52.247-60	GUARANTEED SHIPPING CHARACTERISTICS	DEC/1989

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate.

(1) To be completed by the offeror:

- (i) Type of "Outer" container: Wood Box _____, Fiber Box _____, Barrel _____, Reel _____, Drum _____, Other (Specify) _____
- (ii) Shipping configuration: Knocked-down _____, Set-up _____, Nested _____, Other (specify) _____;
- (iii) Size of outer container: _____ inches (Length), x _____ inches (Width), x _____ inches (Height) = _____ Cubic FT;
- (iv) Number of items per outer container _____ Each;
- (v) Gross weight of outer container and contents _____ LBS
- (vi) Palletized/skidded _____ Yes _____ No;
- (vii) Number of outer containers per pallet/skid _____;
- (viii) Weight of empty pallet bottom/skid and sides _____ LBS;
- (ix) Size of pallet/skid and contents _____ LBS Cube _____;
- (x) Number of outer containers or pallets/skids per railcar _____ * --

Size of railcar _____

Type of railcar _____
- (xi) Number of outer containers or pallets/skids per trailer _____ *--

Size of trailer _____

Type of trailer _____

*Number of complete units (contract line item) to be shipped in carrier's equipment.

(2) To be completed by the Government after evaluation but before contract award:

- (i) Rate used in evaluation _____;
- (ii) Tender/Tariff _____;
- (iii) Item _____;

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 20 of 35
---------------------------	--	----------------------

Name of Offeror or Contractor: H & R PARTS CO LLC

purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of FAR Clause]

The following information is provided as guidance in filling out the above clause by paragraph. Note: Disregard asterisk (*) in the clause where it appears.

(a)(1)(i) Type of container (mandatory fill-in):

The type of container is defined as an overpack. This is an outer container usually made of steel, wood, or fiber designed to enclose and protect one or more less durable inner containers. When Other is selected you must also complete (a)(1)(ii) Shipping configuration.

(a)(1)(ii) Shipping configuration:

Complete this information when any one dimension of the item is reduced.

(a)(1)(iii) Size of container (mandatory fill-in):

Outer dimensions of the overpack or other described shipping configuration. Must be provided in inches. The cube shall be provided in cubic feet. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(iv) Number of items per container (mandatory fill-in):

The number of units of issue in the overpack or in the other described shipping configuration.

(a)(1)(v) Gross weight of container and contents (mandatory fill-in):

The combined mass of the overpack containing the packing material and the number of units of issue supplied in pounds.

(a)(1)(vi) Palletized/skidded:

Indicate Yes if overpack or other described shipping configuration is attached to pallet or skid to form a unit load for handling.

(a)(1)(vii) Number of containers per pallet/skid:

Only complete this if you answered Yes to (a)(1)(vi). Containers are the number of overpacks or other described shipping configurations attached to a pallet or skid base.

(a)(1)(viii) Weight of empty pallet bottom/skid and sides:

Only complete this if you answered Yes to (a)(1)(vi) or when the weight of the container and contents in (a)(1)(v) above does not include this weight.

(a)(1)(ix) Size of pallet/skid and contents:

Only complete this if you answered Yes to (a)(1)(vi). Indicate weight in pounds and cube in cubic feet of combined overpack or other described shipping configuration and attached pallet or skid. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(x) Number of containers or pallets/skids per railcar:

Only complete this if you have rail capability and the rail car may be fully utilized. Quantity of overpacks or other described shipping configurations that will fit in a fully utilized railcar. Specify length in feet and type (flat, box, gondola, etc.) of railcar.

(a)(1)(xi) Number of containers or pallets/skids per trailer (mandatory fill-in):

Quantity of overpacks or other described shipping configurations that will fit in a fully utilized trailer. Specify length in feet and type (flatbed, van, etc.) of trailer. For import/export shipments in ISO/seavan containers indicate quantity of overpacks or other described shipping configurations fully utilizing the container. Specify length in feet of the ISO/seavan containers.

NOTE: Fully Utilized means filling to full visible capacity.

[End of Clause]

F-6 52.247-65 F.O.B. ORIGIN--PREPAID FREIGHT--SMALL PACKAGE SHIPMENTS JAN/1991

(a) When authorized by the Contracting Officer, f.o.b. origin freight shipments which do not have a security classification shall move on prepaid commercial bills of lading or other shipping documents to domestic destinations, including air and water terminals. Weight of individual shipments shall be governed by carrier restrictions but shall not exceed 150 pounds by any form of commercial air or 1,000 pounds by other commercial carriers. The Government will reimburse the Contractor for reasonable freight charges.

(b) The Contractor shall annotate the commercial bill of lading as required by the clause of this contract entitled Commercial

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 21 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

Bill of Lading Notations.

(c) The Contractor shall consolidate prepaid shipments in accordance with procedures established by the cognizant transportation office. The Contractor is authorized to combine Government prepaid shipments with the Contractor's commercial shipments for delivery to one or more consignees and the Government will reimburse its pro rata share of the total freight costs. The Contractor shall provide a copy of the commercial bill of lading promptly to each consignee. Quantities shall not be divided into mailable lots for the purpose of avoiding movement by other modes of transportation.

(d) Transportation charges will be billed as a separate item on the invoice for each shipment made. A copy of the pertinent bill of lading, shipment receipt, or freight bill shall accompany the invoice unless otherwise specified in the contract.

(e) Loss and damage claims will be processed by the Government.

[End of Clause]

F-7

52.242-4009

ACCELERATED DELIVERY--NOTICE OF SHIPMENT

FEB/1998

(TACOM)

(a) You must send a notice of shipment in accordance with FAR 52.242-12 REPORT OF SHIPMENT when:

-- You accelerate delivery, and

-- The accelerated delivery increment exceeds 20% of this contract's total delivery quantity.

(b) This clause doesn't relieve you of any other obligations or requirements of FAR 52.242-12, or of this contract. See the specific delivery schedule clause in the Schedule of this contract (which may also be given elsewhere in this Section F) to determine if acceleration is acceptable and under what conditions.

[End of Clause]

F-8

52.247-4005

SHIPMENT OF SUPPLIES AND DETENTION OF CARRIERS EQUIPMENT

AUG/2003

(TACOM)

(a) Unless otherwise directed, shipment items under this contract in following order of priority:

(1) Government Bill(s)/Commercial of Lading or US Postal Services;

(2) Prepaid Commercial Bill(s) of Lading with transportation charges entered as a separate item on the invoice; or

(3) As otherwise instructed when the contract prohibits use of Government funds for transportation costs.

(b) The Contractor will request:

(1) Government Bills of Lading and

(2) Routing and other instructions, including Defense Transportation Regulation (DTR), DOD Regulation 4500.9-R-Part 2 Cargo Movement, as to the methods of shipment to be followed by the Contractor, or

(c) The Contractor and subcontractor(s) must allow prompt and convenient access of carrier's equipment to loading docks or platforms where the contract items supplies will be loaded. Any charges for detention of carrier's equipment shall be for the account of the Contractor, except when the detention is required or caused by the Government.

[End of Clause]

F-9

52.247-4017

DEPOT ADDRESS FOR THE APPLICABLE MODE OF SHIPMENTS: IN-THE-CLEAR

JAN/2001

(TACOM)

ADDRESSES

Rail/

Motor

SPLC*

MILSTRIP

Address

Code

Rail

Ship To:

Motor

Ship To:

Parcel Post

Mail To:

206721/

W25G1U

Transportation Officer

Transportation Officer

Transportation Officer

209405

Defense Dist Depot

Defense Dist Depot

Defense Dist Depot

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 22 of 35
	PIIN/SIIN W56HZV-04-C-0217	MOD/AMD	

Name of Offeror or Contractor: H & R PARTS CO LLC

		Susquehanna New Cumberland, PA	Susquehanna New Cumberland, PA	Susquehanna New Cumberland, PA 17070-5001
875670/ 875675	W62G2T	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer Dist Depot San Joaquin P O Box 96001 Stockton, CA 95296-0130
471995/ 471996	W31G1Z	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Anniston, AL 36201-5021
209741/ 209770	W25G1R	Transportation Officer Letterkenny Army Depot, Culbertson, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA 17201-4150
661136/ 661157	W45G19	Transportation Officer Red River Army Depot, Defense, TX	Transportation Officer Red River Army Depot, Texarkana, TX	Transportation Officer Red River Army Depot, Texarkana, TX 75507-5000
764538/ 764535	W67G23	Transportation Officer Tooele Army Depot, Warner, UT	Transportation Officer Tooele Army Depot, Tooele, UT	Transportation Officer Tooele Army Depot, Tooele, UT 84074-5003

***SPLC indicates Standard Point Locator Code.

NOTE: The following is applicable only when so specified in an individual order or delivery increment:

This requirement is a depot replenishment buy, a portion of which is or may be required to fill Direct Support System (DSS) requisitions. Shipment shall be made, as specified, to one or more of:

New Cumberland Army Depot
Red River Army Depot
Sharpe Army Depot

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority shipments will be made equally to each of the designated destinations.

[End of Clause]

Name of Offeror or Contractor: H & R PARTS CO LLC

SECTION G - CONTRACT ADMINISTRATION DATA

LINE	PRON/ AMS CD/ ITEM	OBLG STAT	ACCOUNTING CLASSIFICATION	JOB ORDER NUMBER	ACCOUNTING STATION	OBLIGATED AMOUNT
0001AA	EH386624EH 060011	AA 2	97 X4930AC9D 6D	26KB S20113	W56HZV \$	180,345.24
TOTAL						\$ 180,345.24

SERVICE NAME	TOTAL BY ACRN	ACCOUNTING CLASSIFICATION	ACCOUNTING STATION	OBLIGATED AMOUNT
Army	AA	97 X4930AC9D 6D	26KB S20113	W56HZV \$ 180,345.24
TOTAL				\$ 180,345.24

Regulatory Cite	Title	Date
G-1	52.204-7008 MANDATORY USE OF GOVERNMENT TO GOVERNMENT ELECTRONIC COMMUNICATION	JUN/1999
(TACOM)		
(a) All references in the contract to the submission of written documentation shall mean electronic submission. This includes Government to Government data not covered by the Government's Defense Contract Management Command ALERTS Program.		
(b) See Section I, clause 52.204-7009, Mandatory Use of Contractor to Government Electronic Mail, for further guidance.		
(c) Unless exempted by the Procuring Contracting Officer in writing, all written communication after contract award between Government agencies shall be transmitted electronically.		
(End of clause)		

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 24 of 35
	PIIN/SIIN W56HZV-04-C-0217	MOD/AMD	
Name of Offeror or Contractor: H & R PARTS CO LLC			

SECTION H - SPECIAL CONTRACT REQUIREMENTS

	Regulatory Cite	Title	Date
H-1	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
H-2	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	APR/2003
H-3	252.225-7009	DUTY-FREE-ENTRY--QUALIFYING COUNTRY SUPPLIES (END PRODUCTS AND COMPONENTS)	AUG/2000
H-4	252.225-7010	DUTY-FREE ENTRY--ADDITIONAL PROVISIONS	AUG/2000
H-5	252.231-7000	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
H-6	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
H-7	52.204-4005 (TACOM)	REQUIRED USE OF ELECTRONIC CONTRACTING	DEC/2002

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions and clauses appear "by reference," meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr.gov/>. (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards_official.htm
Rock Island: <http://aais.ria.army.mil/AAIS/AWDINFO/index.htm>
Picatinny: <http://procnet.pica.army.mil/Contracts/Index.htm>
Red River Army Depot: <http://www.redriver.army.mil/contracting/Awards>
Anniston Army Depot: <http://www.anadprocnet.army.mil>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/ec/ecip/index.htm>. If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:

(1) Microsoft* 97 Office Products (TACOM can currently read OFFICE 97* and lower.): Word, Excel, Powerpoint, or Access

(2) 100 OR 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM

(3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).

(4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.
[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 26 of 35
	PIIN/SIIN W56HZV-04-C-0217	MOD/AMD	
Name of Offeror or Contractor: H & R PARTS CO LLC			

SECTION I - CONTRACT CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: <http://farsite.hill.af.mil/>

[End of Clause]

	Regulatory Cite	Title	Date
I-1	52.202-1	DEFINITIONS	DEC/2001
I-2	52.203-3	GRATUITIES	APR/1984
I-3	52.203-5	COVENANT AGAINST CONTINGENT FEES	APR/1984
I-4	52.203-6	RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT	JUL/1995
I-5	52.203-7	ANTI-KICKBACK PROCEDURES	JUL/1995
I-6	52.203-8	CANCELLATION, RESCISSION AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-7	52.203-10	PRICE OR FEE ADJUSTMENT FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-8	52.203-12	LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS	JUN/2003
I-9	52.204-4	PRINTING/COPYING DOUBLE-SIDED ON RECYCLED PAPER	AUG/2000
I-10	52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT	JUL/1995
I-11	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
I-12	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
I-13	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUN/2003
I-14	52.219-8	UTILIZATION OF SMALL BUSINESS CONCERNS	OCT/2000
I-15	52.219-14	LIMITATIONS ON SUBCONTRACTING	DEC/1996
I-16	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES	FEB/1997
I-17	52.222-4	CONTRACT WORK HOURS AND SAFETY STANDARDS ACT--OVERTIME COMPENSATION	SEP/2000
I-18	52.222-19	CHILD LABOR--COOPERATION WITH AUTHORITIES AND REMEDIES	SEP/2002
I-19	52.222-20	WALSH-HEALEY PUBLIC CONTRACTS ACT	DEC/1996
I-20	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
I-21	52.222-26	EQUAL OPPORTUNITY	APR/2002
I-22	52.222-35	AFFIRMATIVE ACTION FOR DISABLED VETERANS AND VETERANS OF THE VIETNAM ERA	DEC/2001
I-23	52.222-36	AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES	JUN/1998
I-24	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	DEC/2001
I-25	52.223-6	DRUG FREE WORKPLACE	MAY/2001
I-26	52.223-14	TOXIC CHEMICAL RELEASE REPORTING	AUG/2003
I-27	52.225-10	DUTY-FREE ENTRY	APR/1984
I-28	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUN/2003
I-29	52.227-1	AUTHORIZATION AND CONSENT	JUL/1995
I-30	52.227-2	NOTICE AND ASSISTANCE REGARDING PATENT AND COPYRIGHT INFRINGEMENT	AUG/1996
I-31	52.229-3	FEDERAL, STATE, AND LOCAL TAXES	APR/2003
I-32	52.229-5	TAXES--CONTRACTS PERFORMED IN U.S. POSSESSIONS OR PUERTO RICO	APR/1984
I-33	52.232-1	PAYMENTS	APR/1984
I-34	52.232-8	DISCOUNTS FOR PROMPT PAYMENT	FEB/2002
I-35	52.232-11	EXTRAS	APR/1984
I-36	52.232-17	INTEREST	JUN/1996
I-37	52.232-23	ASSIGNMENT OF CLAIMS	JAN/1986
I-38	52.232-25	PROMPT PAYMENT	FEB/2002
I-39	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
I-40	52.233-1	DISPUTES	JUL/2002
I-41	52.233-3	PROTEST AFTER AWARD	AUG/1996
I-42	52.242-12	REPORT OF SHIPMENT (REPSHIP)	JUN/2003
I-43	52.242-13	BANKRUPTCY	JUL/1995
I-44	52.243-1	CHANGES--FIXED-PRICE	AUG/1987
I-45	52.246-23	LIMITATION OF LIABILITY	FEB/1997
I-46	52.249-2	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE)	SEP/1996
I-47	52.253-1	COMPUTER GENERATED FORMS	JAN/1991
I-48	252.203-7001	PROHIBITION ON PERSONS CONVICTED OF FRAUD OR OTHER DEFENSE CONTRACT-RELATED FELONIES	MAR/1999
I-49	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
I-50	252.209-7000	ACQUISITION FROM SUBCONTRACTORS SUBJECT TO ON-SITE INSPECTION UNDER	NOV/1995

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 27 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

	Regulatory Cite	Title	Date
I-51	252.209-7004	THE INTERMEDIATE-RANGE NUCLEAR FORCES (INF) TREATY SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE GOVERNMENT OF A TERRORIST COUNTRY per DoD interim rule, Federal Register 27 Mar 98	MAR/1998
I-52	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
I-53	252.225-7012	PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES	FEB/2003
I-54	252.225-7014	PREFERENCE FOR DOMESTIC SPECIALTY METALS (ALT 1)	APR/2003
I-55	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	APR/2003
I-56	252.225-7017	PROHIBITION ON AWARD TO COMPANIES OWNED BY THE PEOPLE'S REPUBLIC OF CHINA	FEB/2000
I-57	252.225-7025	RESTRICTION ON ACQUISITION OF FORGINGS	APR/2003
I-58	252.225-7031	SECONDARY ARAB BOYCOTT OF ISRAEL	APR/2003
I-59	252.226-7001	UTILIZATION OF INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC ENTERPRISES	SEP/2001
I-60	252.243-7001	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
I-61	252.244-7000	SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS (DoD CONTRACTS)	MAR/2000
I-62	52.219-4	NOTICE OF PRICE EVALUATION FOR HUBZONE SMALL BUSINESS CONCERNS	JAN/1999

(a) Definition. HUBZone small business concern, as used in this clause, means a small business concern that appears on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration.

(b) Evaluation preference.

(1) Offers will be evaluated by adding a factor of 10 percent to the price of all offers, except-

(i) Offers from HUBZone small business concerns that have not waived the evaluation preference;

(ii) Otherwise successful offers from small business concerns;

(iii) Otherwise successful offers of eligible products under the Trade Agreements Act when the dollar threshold for application of the Act is exceeded (see 25.402 of the Federal Acquisition Regulation (FAR)); and

(iv) Otherwise successful offers where application of the factor would be inconsistent with a Memorandum of Understanding or other international agreement with a foreign government.

(2) The factor of 10 percent shall be applied on a line item basis or to any group of items on which award may be made. Other evaluation factors described in the solicitation shall be applied before application of the factor.

(3) A concern that is both a HUBZone small business concern and a small disadvantaged business concern will receive the benefit of both the HUBZone small business price evaluation preference and the small disadvantaged business price evaluation adjustment (see FAR clause 52.219-23). Each applicable price evaluation preference or adjustment shall be calculated independently against an offeror's base offer. These individual preference amounts shall be added together to arrive at the total evaluated price for that offer.

(c) Waiver of evaluation preference. A HUBZone small business concern may elect to waive the evaluation preference, in which case the factor will be added to its offer for evaluation purposes. The agreements in paragraph (d) of this clause do not apply if the offeror has waived the evaluation preference.

[] Offer elects to waive the evaluation preference.

(d) Agreement. A HUBZone small business concern agrees that in the performance of the contract, in the case of a contract for

(1) Services (except construction), at least 50 percent of the cost of personnel for contract performance will be spent for employees of the concern or employees of other HUBZone small business concerns;

(2) Supplies (other than procurement from a nonmanufacturer of such supplies), at least 50 percent of the cost of manufacturing, excluding the cost of materials, will be performed by the concern or other HUBZone small business concerns;

(3) General construction, at least 15 percent of the cost of the contract performance incurred for personnel will be spent on the concern's employees or the employees of other HUBZone small business concerns; or

Name of Offeror or Contractor: H & R PARTS CO LLC

(4) Construction by special trade contractors, at least 25 percent of the cost of the contract performance incurred for personnel will be spent on the concern's employees or the employees of other HUBZone small business concerns.

(e) A HUBZone joint venture agrees that in the performance of the contract, the applicable percentage specified in paragraph (d) of this clause will be performed by the HUBZone small business participant or participants;

(f) A HUBZone small business concern nonmanufacturer agrees to furnish in performing this contract only end items manufactured or produced by HUBZone small business manufacturer concerns. This paragraph does not apply in connection with construction or service contracts.

[End of Clause]

I-6352.223-3JAN/1997

(a) Hazardous material, as used in this clause, includes any material defined as hazardous under the latest version of Federal Standard No. 313 (including revisions adopted during the term of the contract). (b) The offeror must list any hazardous material, as defined in paragraph (a) of this clause, to be delivered under this contract. The hazardous material shall be properly identified and include any applicable identification number, such as National Stock Number or Special Item Number. This information shall also be included on the Material Safety Data Sheet submitted under this contract.

Material (If none, insert None)	Identification No.
_____	_____
_____	_____
_____	_____

(c) This list must be updated during performance of the contract whenever the Contractor determines that any other material to be delivered under this contract is hazardous.

(d) The apparently successful offeror agrees to submit, for each item as required prior to award, a Material Safety Data Sheet, meeting the requirements of 29 CFR 1910.1200(g) and the latest version of Federal Standard No. 313, for all hazardous material identified in paragraph (b) of this clause. Data shall be submitted in accordance with Federal Standard No. 313, whether or not the apparently successful offeror is the actual manufacturer of these items. Failure to submit the Material Safety Data Sheet prior to award may result in the apparently successful offeror being considered nonresponsible and ineligible for award.

(e) If, after award, there is a change in the composition of the item(s) or a revision to Federal Standard No. 313, which renders incomplete or inaccurate the data submitted under paragraph (d) of this clause, the Contractor shall promptly notify the Contracting Officer and resubmit the data.

(f) Neither the requirements of this clause nor any act or failure to act by the Government shall relieve the Contractor of any responsibility or liability for the safety of Government, Contractor, or subcontractor personnel or property.

(g) Nothing contained in this clause shall relieve the Contractor from complying with applicable Federal, State, and local laws, codes, ordinances, and regulations (including the obtaining of licenses and permits) in connection with hazardousmaterial.

(h) The Governments rights in data furnished under this contract with respect to hazardous material are as follows;

(1) To use, duplicate and disclose any data to which this clause is applicable. The purposes of this right are to--

(i) Apprise personnel of the hazards to which they may be exposed in using, handling, packaging, transporting, or disposing of hazardous materials;

(ii) Obtain medical treatment for those affected by the material; and

(iii) Have others use, duplicate, and disclose the data for the Government for these purposes.

(2) To use, duplicate, and disclose data furnished under this clause, in accordance with subparagraph (h)(1) of this clause, in precedence over any other clause of this contract providing for rights in data.

(3) The Government is not precluded from using similar or identical data acquired from other sources.

(End of clause)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 29 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

I-64 52.223-11 OZONE-DEPLETING SUBSTANCES MAY/2001

(a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR part 82 as--

(1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or

(2) Class II, including but not limited to, hydrochlorofluorocarbons.

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j(b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

WARNING: Contains (or manufactured with, if applicable) _____ * _____, a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

*The Contractor shall insert the name of the substance(s).

[End of Clause]

I-65 52.244-6 SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS APR/2003

(a) Definitions. As used in this clause--

(1) "Commercial item," as used in this clause, has the meaning contained in the clause at 52.202-1, Definitions.

(2) "Subcontract," as used in this clause, includes a transfer of commercial items between divisions, subsidiaries, or affiliates of the Contractor or subcontractor at any tier.

(b) To the maximum extent practicable, the Contractor shall incorporate, and require its subcontractors at all tiers to incorporate, commercial items or nondevelopmental items as components of items to be supplied under this contract.

(c)

(1) The contractor shall insert the following clauses in subcontracts for commercial items:

(i) 52.219-8, Utilization of Small Business Concerns (OCT 2000)(15U.S.C. 637(d)(2) and (3)), in all subcontracts that offer subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$500,000 (\$1,000,000 for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.

(ii) 52.222-26, Equal Opportunity (APR 2002)(E.O. 11246);

(iii) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (Dec 2001) (38 U.S.C. 4212(a));

(iv) 52.222-36, Affirmative Action for Workers with Disabilities (JUN 1998)(29 U.S.C. 793);

(v) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (APR 2003) (46 U.S.C. Appx 1241 and 10 U.S.C. 2631) (flow down required in accordance with paragraph (d) of FAR clause 52.247-64).

(2) While not required, the Contractor may flow down to subcontracts for commercial items a minimum number of additional clauses necessary to satisfy its contractual obligations.

(d) The Contractor shall include the terms of this clause, including this paragraph (d), in subcontracts awarded under this contract.

[End of Clause]

I-66 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES APR/1984

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 30 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

(b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS) (48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

[End of Clause]

I-67 252.204-7004 REQUIRED CENTRAL CONTRACTOR REGISTRATION NOV/2001

(a) Definitions. As used in this clause--

(1) Central Contractor Registration (CCR) database means the primary DoD repository for contractor information required for the conduct of business with DoD.

(2) Data Universal Numbering System (DUNS) number means the 9-digit number assigned by Dun and Bradstreet Information Services to identify unique business entities.

(3) Data Universal Numbering System +4 (DUNS+4) number means the DUNS number assigned by Dun and Bradstreet plus a 4-digit suffix that may be assigned by a parent (controlling) business concern. This 4-digit suffix may be assigned at the discretion of the parent business concern for such purposes as identifying subunits or affiliates of the parent business concern.

(4) Registered in the CCR database means that all mandatory information, including the DUNS number or the DUNS+4 number, if applicable, and the corresponding Commercial and Government Entity (CAGE) code, is in the CCR database; the DUNS number and the CAGE code have been validated; and all edits have been successfully completed.

(b)

(1) By submission of an offer, the offeror acknowledges the requirement that a prospective awardee must be registered in the CCR database prior to award, during performance, and through final payment of any contract resulting from this solicitation, except for awards to foreign vendors for work to be performed outside the United States.

(2) The offeror shall provide its DUNS or, if applicable, its DUNS+4 number with its offer, which will be used by the Contracting Officer to verify that the offeror is registered in the CCR database.

(3) Lack of registration in the CCR database will make an offeror ineligible for award.

(4) DoD has established a goal of registering an applicant in the CCR database within 48 hours after receipt of a complete and accurate application via the Internet. However, registration of an applicant submitting an application through a method other than the Internet may take up to 30 days. Therefore, offerors that are not registered should consider applying for registration immediately upon receipt of this solicitation.

(c) The Contractor is responsible for the accuracy and completeness of the data within the CCR, and for any liability resulting from the Government's reliance on inaccurate or incomplete data. To remain registered in the CCR database after the initial registration, the Contractor is required to confirm on an annual basis that its information in the CCR database is accurate and complete.

(d) Offerors and contractors may obtain information on registration and annual confirmation requirements by calling 1-888-227-2423, or via the Internet at <http://www.ccr.gov>.

[End of Clause]

I-68 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA MAY/2002

(a) Definitions. As used in this clause--

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

(3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.

(4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-C-0217 MOD/AMD</p>	<p style="text-align: center;">Page 31 of 35</p>
--	--	---

Name of Offeror or Contractor: H & R PARTS CO LLC

(5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

(6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.

(i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.

(ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.

(7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

- (b)
- (1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
 - (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
 - (i) This contract is a construction contract; or
 - (ii) The supplies being transported are-
 - (A) Noncommercial items; or
 - (B) Commercial items that-
 - (1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);
 - (2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or
 - (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

- (1) U.S.-flag vessels are not available for timely shipment;
- (2) The freight charges are inordinately excessive or unreasonable; or
- (3) Freight charges are higher than charges to private persons for transportation of like goods.

(d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

- (1) Type, weight, and cube of cargo;
- (2) Required shipping date;
- (3) Special handling and discharge requirements;
- (4) Loading and discharge points;

Name of Offeror or Contractor: H & R PARTS CO LLC

- (5) Name of shipper and consignee;
- (6) Prime contract number; and
- (7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

- (1) Prime contract number;
- (2) Name of vessel;
- (3) Vessel flag of registry;
- (4) Date of loading;
- (5) Port of loading;
- (6) Port of final discharge;
- (7) Description of commodity;
- (8) Gross weight in pounds and cubic feet if available;
- (9) Total ocean freight in U.S. dollars; and
- (10) Name of the steamship company.
- (f) The Contractor shall provide with its final invoice under this contract a representation that to the best of its knowledge and belief--
- (1) No ocean transportation was used in the performance of this contract;
- (2) Ocean transportation was used and only U.S.-flag vessels were used for all ocean shipments under the contract;
- (3) Ocean transportation was used, and the Contractor had the written consent of the Contracting Officer for all non-U.S.-flag ocean transportation; or
- (4) Ocean transportation was used and some or all of the shipments were made on non-U.S.-flag vessels without the written consent of the Contracting Officer. The Contractor shall describe these shipments in the following format:

ITEM	CONTRACT		
DESCRIPTION	LINE ITEMS	QUANTITY	TOTAL

- (g) If the final invoice does not include the required representation, the Government will reject and return it to the Contractor as an improper invoice for the purposes of the Prompt Payment clause of this contract. In the event there has been unauthorized use of non-U.S.-flag vessels in the performance of this contract, the Contracting Officer is entitled to equitably adjust the contract, based on the unauthorized use.
- (h) In the award of subcontracts for the types of supplies described in paragraph (b)(2) of this clause, the Contractor shall flow down the requirements of this clause as follows:
- (1) The Contractor shall insert the substance of this clause, including this paragraph (h) in all subcontracts that exceed the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.
- (2) The Contractor shall insert the substance of paragraphs (a) through (e) of this clause, and this paragraph (h), in subcontracts that are at or below the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 33 of 35
--------------------	---	---------------

Name of Offeror or Contractor: H & R PARTS CO LLC

I-69 252.247-7024 NOTIFICATION OF TRANSPORTATION OF SUPPLIES BY SEA MAR/2000

(a) The Contractor has indicated by the response to the solicitation provision, Representation of Extent of Transportation by Sea, that it did not anticipate transporting by sea any supplies. If however, after the award of this contract, the Contractor learns that supplies, as defined in the Transportation of Supplies by Sea clause of this contract, will be transported by sea, the Contractor--

(1) Shall notify the Contracting Officer of that fact; and

(2) Hereby agrees to comply with all the terms and conditions of the Transportation of Supplies by Sea clause of this contract.

(b) The Contractor shall include this clause, including this paragraph (b), revised as necessary to reflect the relationship of the contracting parties

(1) In all subcontracts hereunder, if this contract is a construction contract; or

(2) If this contract is not a construction contract, in all subcontracts under this contract that are for--

(i) Noncommercial items; or

(ii) Commercial items that--

(A) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(B) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

(C) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

[End of Clause]

I-70 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999
(TACOM)

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

I-71 52.246-4026 LOCAL ADDRESS FOR DD FORM 250 MAR/2002
(TACOM)

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0217 MOD/AMD	Page 34 of 35
Name of Offeror or Contractor: H & R PARTS CO LLC		

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7552 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://webl.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 35 of 35
	PIIN/SIIN W56HZV-04-C-0217	MOD/AMD	
Name of Offeror or Contractor: H & R PARTS CO LLC			

SECTION J - LIST OF ATTACHMENTS

List of Addenda	Title	Date	Number of Pages	Transmitted By
Attachment 001	TDPL 12475613	23-MAY-2003	003	